

Kitemark™ Certificate

This is to certify that:

Andrew Wright Windows Ltd
9-11 Telford Place
South Newmoor Industrial Estate
Irvine
KA11 4HW
United Kingdom

Holds Certificate Number:

KM 572129

In respect of:

BS 7412 / PAS 24
Enhanced Security PVCU Doors Fabricator

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:



Pietro Foschi - Strategic Delivery Director

First Issued: 21/11/2011

Latest Issue: 22/01/2015



Page: 1 of 4

...making excellence a habit.™

Kitemark™ Certificate

No. KM 572129

BS 7412:2007 / PAS 24:2012 - General and enhanced security performance requirements for door assemblies.

This Licence covers the fabrication of residential doors from the range of profiles and components supplied by Veka plc under Licence Number KM 60983.

Matrix 70 PVC-U Residential Door System

Fabricated and installed in accordance with the latest issue of the following System Supplier manual(s):

Veka Matrix 70 System Technical Manual, with alternative hardware option as detailed below, verified in BSI Test reports 7650041 Parts 1 and 2.

System description:

The door assemblies are single leaf, open in, glazed in, with compliant IGU(s), laminated on one pane; with or without midrails with standard threshold only and of fully welded construction. Doors are classified as DK

Hardware Options

Lock	Hinge
Paddock Lockmaster PLSP53-2ER-19	3 x SFS Dynamic 2D Hinges

System Designation PVC-U Residential Door System

Door Type	Length (mm) - Maximum	Height (mm) - Maximum (including sill)	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009
Sash dimensions for doors with approved outer frame and sash profiles:						
Single leaf doors	1060	2120	Class 3	Class 5A	Class A3	1200

First Issued: 21/11/2011

Latest Issue: 22/01/2015

Page: 2 of 4

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 572129

BS 7412:2007 / PAS 24:2012 - General and enhanced security performance requirements for door assemblies.

This Licence covers the fabrication of residential doors from the range of profiles and components supplied by Deceuninck Limited under Licence Number KM 57124.

System(s):	Heritage 2800 Residential PVC-U Door System	
Fabrication and Installation:	Fabricated and installed in accordance with the latest issue of the following controlled manual(s): Heritage 2800 Technical File Manual for the Construction of Deceuninck Heritage 2800 Door Assemblies	
General description of System:	The door assemblies are single or double leaf, with or without coupled sidelight, hinged on the frame side or coupling side, TCI reinforcing to door outer frame and/or floating mullions only. Doorsets reinforced with either aluminium or steel. Open in and out, glaze in only, with BS 1279 compliant IGU(s), double glazed only, with or without midrail, with low or standard PVC-U or Stormguard aluminium thresholds, welded midrail and fully welded sash and outer frame construction. Doors are classified either D K or D KT with or without letter plate.	
Approved Hardware	Locking	Mantis 3; Maco C-TS.
	Hinge	Greenteq hybrid; SFS Dynamic 2D.
	Handle	Greenteq Alpha; Fab & Fix Ashford Balmoral.
	Other	Maco Guardian 3* cylinder; Greenteq Omega letter plate, Fab & Fix Nu-Mail letter plate, GT Securi-clip (glass lock).

First Issued: 21/11/2011

Latest Issue: 22/01/2015

Page: 3 of 4

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 572129

Heritage 2800 Residential PVC-U Door System

Size Limitations and Performance Characteristics

Door Type	Length (mm) - Maximum	Height (mm) - Maximum (including sill)	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009
Sash dimensions for doors with approved outer frame and sash profiles:						
Single leaf/Master leaf	905	2090	4	3A	A3	1200
Slave leaf	895	2090	4	3A	A3	1200
Coupled Side Panel	1100	2145	4	3A	A3	1200
Overall dimensions for doors with approved outer frames						
Double leaf Open In	1800	2150	4	4A	A3	1200
Double leaf Open Out	1800	2150	3	E1050	A3	1200
Single leaf	2000	2145	4	3A	A3	1200

First Issued: 21/11/2011

Latest Issue: 22/01/2015

Page: 4 of 4

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.